| | J | ١ | |
|---|---|---|--|
| (| k | | |
| ٧ | | | |

| | Application No. | Applicant(s) | | | |
|--|---|--|--|--|--|
| | 10/635,080 | BOND ET AL. | | | |
| Notice of Allowability | Examiner | Art Unit | | | |
| | Timothy J Thompson | 2873 | | | |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to 2. The allowed claim(s) is/are 1-22. 3. The drawings filed on 06 August 2003 are accepted by the Examiner. 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements | | | | | |
| noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. | | | | | |
| 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. | | | | | |
| Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 08/2003 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material | 6. ⊠ Interview Su Paper No./N 8), 7. ⊠ Examiner's A | ormal Patent Application (PTO-152) mmary (PTO-413), Mail Date <u>07/204</u> . Amendment/Comment Statement of Reasons for Allowance | | | |

Art Unit: 2873

DETAILED ACTION

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Kenneth Nigon on 07/08/04.

The application has been amended as follows:

22. (Amend) The method of claim 21, wherein:

the monolithic stabilized electroabsorption modulator further includes an input optical tap;

- step (a) further includes the step of supplying the bias voltage to the input optical tap;
- step (e) further includes the step of detecting an input tap current of the input optical tap; and
- step (f) includes the step of calculating the extinction ratio of the electroabsorption modulator based on the input tap current and the output tap current measured in step (e).

Allowable Subject Matter

Application/Control Number: 10/635,080

Art Unit: 2873

Claims 1-22 are allowed.

The following is an examiner's statement of reasons for allowance: The prior art taken either singularity or in combination fails to anticipate or fairly suggest the limitations of the independent claim, in such a manner that a rejection under 35 U.S.C. 102 or 103 would be proper. The prior art fails to teach a combination of all the claimed features as presented in independent claims 1, 6, 14, 20, with the allowable features being; forming a waveguide layer having a waveguide index different from the substrate index of refraction on the top surface of the substrate, the waveguide layer including an electroabsorption portion adjacent to the output optical tap portion(claim 1); detecting an input tap current of the input optical tap and an output tap current of the output optical tap(claim 6); supplying a bias voltage to the electroabsorption modulator and the output optical tap, the bias voltage having a voltage level(claim 14); varying the temperature control voltage based on the temperature measured to regulate the temperature of the monolithic stabilized electroabsorption modulator to operating temperature(claim 20). Therefore claims 1-22 are allowed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2873

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Bischoff et al.(U.S. Patent No. 6,512,860) and Ferguson et al.(U.S. Patent No. 6,160,930) are pertinent to the application since they pertain to EAM with a waveguide with an optical input and optical output.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Timothy J. Thompson whose telephone number is (703) 305-0881. If the examiner can not be reached his supervisor, Georgia Epps, can be reached on (703) 308-4883.

Din D Monsper

T.J.T.

8/4/04